

# NANOSPECTRUM

A close-up photograph of a person's face and upper body, heavily covered in vibrant, multi-colored body paint. The colors include bright red, blue, orange, and white, applied in thick, expressive brushstrokes. The person's eyes are closed, and their expression is serene. A hand, also painted with the same vibrant colors, is gently resting on the top of their head. The background is a blurred, abstract composition of similar colors, creating a sense of depth and artistic atmosphere.

APAVISA



*“The colours used in architecture must be intense, logical and fertile. “*

*Antonio Gaudi*

*“Los colores usados en arquitectura tiene que ser intensos, logicos y fértiles. “*

*Antonio Gaudi*






# NANOSPECTRUM WHITE



**Nanospectrum serie 90x90**  
(89,46 x 89,46 cm - 35.22" x 35.22")

**Nanospectrum white natural 90x90** G-1532  
**Nanospectrum white pulido 90x90** G-1572

## SPECIAL SIZES / FORMATOS ESPECIALES



**Nanospectrum lista 7,5x90**  
(7,3 x 89,46 cm - 2.87" x 35.22")

**Nanospectrum white natural lista 7,5x90** G-131  
**Nanospectrum white pulido lista 7,5x90** G-139



**Nanospectrum rodapie 7,5x90**  
(7,3 x 89,46 cm - 2.87" x 35.22")

**Nanospectrum white natural rodapie 7,5x90** G-147






# NANOSPECTRUM WHITE


SPECIAL PIECES / PIEZAS ESPECIALES




**Nanospectrum white pulido field decor**  
(21,91 x 89,46 cm - 8.61" x 35.22")  
**G-367**



**Nanospectrum white pulido ramp decor**  
(14,42 x 89,46 cm - 5.68" x 35.22")  
**G-431**



**Nanospectrum white pulido flake decor**  
(68,28 x 88,46 cm - 26.82" x 34.83")  
**G-1870**











# NANOSPECTRUM BLACK



**Nanospectrum serie 90x90**  
(89,46 x 89,46 cm - 35.22" x 35.22")

**Nanospectrum black natural 90x90**  
**Nanospectrum black pulido 90x90**

G-1532

G-1572

## SPECIAL SIZES / FORMATOS ESPECIALES



**Nanospectrum lista 7,5x90**  
(7,3 x 89,46 cm - 2.87" x 35.22")

**Nanospectrum black natural lista 7,5x90**  
**Nanospectrum black pulido lista 7,5x90**

G-131

G-139



**Nanospectrum rodapie 7,5x90**  
(7,3 x 89,46 cm - 2.87" x 35.22")

**Nanospectrum black natural rodapie 7,5x90**

G-147






# NANOSPECTRUM BLACK


SPECIAL PIECES / PIEZAS ESPECIALES




Nanospectrum black pulido field decor  
(21,91 x 89,46 cm - 8.61" x 35.22")  
G-367



Nanospectrum black pulido ramp decor  
(14,42 x 89,46 cm - 5.68" x 35.22")  
G-431



Nanospectrum black pulido flake decor  
(68,28 x 88,46 cm - 26.82" x 34.83")  
G-1870








# NANOSPECTRUM BLUE



**Nanospectrum serie 90x90**  
(89,46 x 89,46 cm - 35.22" x 35.22")

**Nanospectrum blue natural 90x90** G-1544  
**Nanospectrum blue pulido 90x90** G-1584

## SPECIAL SIZES / FORMATOS ESPECIALES



**Nanospectrum lista 7,5x90**  
(7,3 x 89,46 cm - 2.87" x 35.22")

**Nanospectrum blue natural lista 7,5x90** G-139  
**Nanospectrum blue pulido lista 7,5x90** G-147



**Nanospectrum rodapie 7,5x90**  
(7,3 x 89,46 cm - 2.87" x 35.22")

**Nanospectrum blue natural rodapie 7,5x90** G-155








# NANOSPECTRUM BLUE


SPECIAL PIECES / PIEZAS ESPECIALES




**Nanospectrum blue pulido field decor**  
(21,91 x 89,46 cm - 8.61" x 35.22")  
**G-375**




**Nanospectrum blue pulido ramp decor**  
(14,42 x 89,46 cm - 5.68" x 35.22")  
**G-435**



**Nanospectrum blue pulido flake decor**  
(68,28 x 88,46 cm - 26.82" x 34.83")  
**G-1870**









# NANOSPECTRUM

## PRICE LIST / GRUPOS DE PRECIO












NANOSPECTRUM collection		WHITE		BLACK		RED		BLUE		GREEN	
NANOSPECTRUM SERIE 90X90 / SERIE NANOSPECTRUM 90X90		NATURAL	PULIDO	NATURAL	PULIDO	NATURAL	PULIDO	NATURAL	PULIDO	NATURAL	PULIDO
PELDAÑO-90	89,46 x 89,46 cm - 35,22" x 35,22"	585	609	585	609	767	815	585	609	585	609
PELDAÑO ANGULO 90X90	89,46 x 89,46 cm - 35,22" x 35,22"	609	633	609	633	779	829	609	633	609	633
PELDAÑO GRAD-90	89,46 x 89,46 cm - 35,22" x 35,22"	779	779	779	779	-	-	779	779	779	779
PELDAÑO GRAD ANG 90x90	89,46 x 89,46 cm - 35,22" x 35,22"	829	829	829	829	-	-	829	829	829	829

NANOSPECTRUM collection		WHITE		BLACK		RED		BLUE		GREEN	
SPECIAL PIECES / PIEZAS ESPECIALES		NATURAL	PULIDO	NATURAL	PULIDO	NATURAL	PULIDO	NATURAL	PULIDO	NATURAL	PULIDO
RODAPIÉ 7,5X90	7,3 x 89,46 cm - 2,87" x 35,22"	147		147		187		155		147	
BUMP-90	89,46 x 89,46 cm - 35,22" x 35,22"	1870		1870		1980		1870		1870	
DIAGONAL UP-90	89,46 x 89,46 cm - 35,22" x 35,22"	1870		1870		1980		1870		1870	
CORNER UP-90	89,46 x 89,46 cm - 35,22" x 35,22"	1870		1870		1980		1870		1870	
CUT BUMP -90	89,46 x 89,46 cm - 35,22" x 35,22"	1870		1870		1980		1870		1870	
FLAKE DECOR	68,28 x 88,46 cm - 26,82" x 34,83"		1870		1870		1980		1870		1870
RAMP DECOR	14,42 x 89,46 cm - 5,68" x 35,22"		431		431		499		435		431
FIELD DECOR	21,86 x 89,46 cm - 8,61" x 35,22"		367		367		471		375		367

## PACKING LIST / LISTA DE EMBALAJES

NAME / NOMBRE	SIZE / FORMATO	UNIT	BOX / PALLET	PIECE / BOX	M <sup>2</sup> BOX	SQF / BOX	M <sup>2</sup> PALLET	SQF / PALLET	KG / PALLET	KG / BOX	KG / PIECE
BASE 90X90 (e= 7 mm)	89,46 x 89,46 cm - 35,22" x 35,22"	m2	18	2	1,601	17,23	28,82	310,22	520	27,612	13,431
RAMP DECOR	21,91 x 89,46 cm - 8,61" x 35,22"	m2	16	4	0,784	8,439	12,544	135,021	238,14	13,446	3,289
FIELD DECOR	14,42 x 89,46 cm - 5,68" x 35,22"	m2	16	8	1,032	11,108	16,512	177,732	304,76	17,610	2,165
FLAKE DECOR	68,28 88,46 cm - 26,82" X 34,83"	m2	18	2	1,208	13,003	21,744	234,048	401,4	21,024	10,137

# TECHNICAL CHARACTERISTICS / CARACTERÍSTICAS TÉCNICAS

TECHNICAL CHARACTERISTICS CARACTERÍSTICAS TÉCNICAS	STANDARD TEST METHOD MÉTODO DE LA NORMA	STANDARD PRESCRIBED VALUES VALOR PRESCRITO POR LA NORMA	NANOSPECTRUM
<b>MEASUREMENTS SURFACE APPEARANCE / DIMENSIONES Y ASPECTO SUPERFICIAL</b>			
 <b>LENGTH AND WIDTH / LONGITUD Y ANCHURA</b>	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
 <b>THICKNESS / ESPESOR</b>	UNE - EN ISO 10545 - 2	+/- 5.0 % max	+/- 2.0 %
 <b>ORTHOGONALITY / ORTOGONALIDAD</b>	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
 <b>SURFACE FLATNESS / PLANITUD DE SUPERFICIE</b>	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
<b>PHYSICAL PROPERTIES / PROPIEDADES FÍSICAS</b>			
 <b>WATER ABSORPTION / ABSORCIÓN DE AGUA</b>	UNE - EN ISO 10545 - 3	≤ 0.5 %	+/- 0.1 %
 <b>BENDING RESISTANCE / RESISTENCIA A LA FLEXIÓN</b>	UNE - EN ISO 10545 - 4	≥ 35 N/mm <sup>2</sup>	45 N/mm <sup>2</sup> *
 <b>RESISTANCE TO ABRASION / RESISTENCIA A LA ABRASIÓN</b>	UNE - EN ISO 10545 - 6	≤175 mm <sup>3</sup>	116 mm <sup>3</sup> *
 <b>TEMPERATURE SHOCK RESISTANCE / RESISTENCIA AL CHOQUE TERMICO</b>	UNE - EN ISO 10545 - 9	NO SURFACE DEFECTS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS VISIBLES	DURABLE / Resistente
 <b>RESISTANCE TO COLD / RESISTENCIA A LA HELADA</b>	UNE - EN ISO 10545 - 12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE NO DEBE PRESENTAR DEFECTOS O ROTURAS VISIBLES	ANTI-ICE / Antihielo
 <b>ANTI - SLIP / ANTIDESLIZAMIENTO</b>	DIN 51130		
	UNE-ENV 12633	WET TEST	
		DRY TEST	
 <b>COLOUR RESISTANCE TO LIGHT / RESISTENCIA DEL COLOR A LA LUZ</b>	DIN 51094	THERE SHOULD BE NO COLOUR VARIATIONS	NO ALTERATIONS

\* Average value. Test issued in Apavisa internal laboratory on September 2014. For any official certification or verification of the values listed, contact the Technical Department through [dpto.tecnico@apavisa.com](mailto:dpto.tecnico@apavisa.com) / Valor de media. Prueba realizada en laboratorio interno de Apavisa sobre el producto a fecha de September de 2014. Para cualquier certificación oficial o verificación de los valores mencionados contactar con el Departamento Técnico de Apavisa a través de [dpto.tecnico@apavisa.com](mailto:dpto.tecnico@apavisa.com).

\*\*\*\* Average test result value on September 2014. / Valor de media a fecha September de 2014.

APAVISA PORCELANICO SL assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO SL. All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability. / APAVISA PORCELANICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELANICO S.L. Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión del presente catálogo y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.

Distributed by - Distribuido por - Distribuito da - Vertrieben durch - Distribue par



# APAVISA

Ctra. Castellón - San Juan de Moró, hm. 7,5 - 12130 SAN JUAN DE MORÓ (Castellón) Spain  
Tel. +34 964 701 120 - Export Fax +34 964 701 067 - Fax Nacional 964 701 195 - info@apavisa.com

[www.apavisa.com](http://www.apavisa.com)



PLEASE RECYCLE WHEN OBSOLETE  
POR FAVOR RECLICAR CUANDO QUEDE OBSOLETO  
WENN NICHT MEHR AKTUELL, RECYCELN  
PER FAVORE RICICLARLO QUANDO VECCHIO  
S'IL VOUS PLAÎT, MERCI DE RECYCLER

NANOSPEC/0914