



ceramiche  
**campogalliano**®

CENTURIES CE

CENTURIES

CENTURIES

CENTURIES

# CENTURIES



Antique Florence 30x60cm (12"x24")







Antique Florence 60x60cm (24"x24")

# CENTURIES ANTIQUE FLORENCE

**FORMATIE FINITURE SIZES AND FINISHES**

**FORMATI NOMINALI NOMINAL SIZES**



30x30cm  
(12"x12") Rett




50x100cm (20"x40") Rett



30x60cm (12"x24")  
Nat/Rett



100x100cm (40"x40") Rett



60x60cm  
(24"x24") Rett



7,5x30cm  
(3"x12") Rett




7,5x15cm  
(3"x6") Rett




Cent. battiscopa 7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") Nat/Rett  
Cent. battiscopa 7x100cm (2<sup>3</sup>/<sub>4</sub>"x40") Rett




Antique Florence  
Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")



Centuries/Panarea  
Mosaico Decorato  
5x5cm (2"x2")  
30x30cm (12"x12")



Antique Florence  
Basketweave  
31,2x31,2cm  
(12<sup>1</sup>/<sub>4</sub>"x12<sup>1</sup>/<sub>4</sub>")



Antique Florence  
Hexagon  
29,3x29,4cm  
(11<sup>1</sup>/<sub>2</sub>"x11<sup>1</sup>/<sub>2</sub>")



Antique Florence  
Freccia  
33,3x37,5cm  
(13<sup>1</sup>/<sub>8</sub>"x14<sup>3</sup>/<sub>4</sub>")





Antique Pisa 30x60cm (12"x24") - 7,5x30cm (3"x12")  
Panarea Black 7,5x15cm (3"x6")

**FORMATIE FINITURE SIZES AND FINISHES**  
**FORMATI NOMINALI NOMINAL SIZES**



30x60cm (12"x24")  
Nat/Rett



30x30cm  
(12"x12") Rett




7,5x15cm  
(3"x6") Rett



7,5x30cm  
(3"x12") Rett



100x100cm (40"x40") Rett



60x60cm (24"x24") Rett



Antique Pisa Mosaico  
5x5cm (2"x2")  
30x30cm (12"x12")



Centuries/Panarea  
Mosaico Decorato  
5x5cm (2"x2")  
30x30cm (12"x12")




Antique Pisa  
Freccia  
33,3x37,5cm  
(13<sup>1</sup>/<sub>8</sub>"x14<sup>3</sup>/<sub>4</sub>"")



Panarea Black  
Freccia  
33,3x37,5cm  
(13<sup>1</sup>/<sub>8</sub>"x14<sup>3</sup>/<sub>4</sub>"")



Antique Pisa  
Hexagon  
29,3x29,4cm  
(11<sup>1</sup>/<sub>2</sub>"x11<sup>1</sup>/<sub>2</sub>"")



Antique Pisa  
Basketweave  
31,2x31,2cm  
(12<sup>1</sup>/<sub>4</sub>"x12<sup>1</sup>/<sub>4</sub>"")

Cent. battiscopa 7x60cm (2<sup>3</sup>/<sub>4</sub>"x24") Nat/Rett  
Cent. battiscopa 7x100cm (2<sup>3</sup>/<sub>4</sub>"x40") Rett

# CENTURIES ANTIQUE PISA



Antique Pisa/Black  
Cassettone  
39x39cm  
(15<sup>1</sup>/<sub>3</sub>"x15<sup>1</sup>/<sub>3</sub>" )



Antique Pisa/Grey  
Cassettone  
39x39cm  
(15<sup>1</sup>/<sub>3</sub>"x15<sup>1</sup>/<sub>3</sub>" )







Sip sip  
HOO

DISHERS





**M E N U**

**COFFEE bar**

SOUP 4.95  
FLAVORED 3.95  
FRUIT & YOGURT 4.95  
TROPICAL 4.95

**ESPRESSO bar**

DOUBLE SHOT 2.75  
CAPPUCCINO 3.50  
CORTADO 3.50  
LATTE 3.25  
MACCHIATO 3.25  
ESPRESSO 2.75  
FRUIT & YOGURT 4.95  
FRUIT & YOGURT 4.95  
FRUIT & YOGURT 4.95  
FRUIT & YOGURT 4.95

**TEA bar**

HOT TEA 1.50 - 2.50  
ICED TEA 1.00  
TEA LATTE 2.00 - 2.50  
CHAMPAGNE 3.50 - 3.75

**HOT CHOCOLATE bar**

CLASSIC 2.50  
FRUIT & YOGURT 4.95  
FRUIT & YOGURT 4.95  
FRUIT & YOGURT 4.95

**Toast BAR**

CLASSIC 4.95  
LAVASH TOAST 4.95  
PASADENA TOAST 4.95  
FRUIT & YOGURT 4.95

**SANDWICH BAR**

THE ITALIANO 8.95  
THE BURGERS 8.95  
THE GREEK 8.95  
THE TACO 8.95  
THE BURRITO 8.95  
THE BURRITO 8.95  
THE BURRITO 8.95

**Salad BAR**

CAPRESE 8.95  
CHIPPED ITALIAN 8.95  
VEGGIE TACO 8.95

**KIDS' B**

CLASSIC 4.95  
LAVASH TOAST 4.95  
PASADENA TOAST 4.95  
FRUIT & YOGURT 4.95

Antique Pisa 100x100cm (40"x40")  
Antique Pisa Hexagon - Panarea Black Hexagon 29,3x29,4cm (11 1/2"x11 1/2")





Centuries/Panarea Mosaico Decorato 5x5cm (2"x2")



Antique Florence Freccia 33,3x37,5cm (13<sup>1</sup>/<sub>8</sub>"x14<sup>3</sup>/<sub>4</sub>"






Antique Pisa/Grey - Antique Pisa/Black Cassettone 39x39cm (15<sup>1</sup>/<sub>3</sub>"x15<sup>1</sup>/<sub>3</sub>")

# Caratteristiche Tecniche • Technical features • Technische eigenschaften\*

Gres porcellanato impasto colorato - Colored body porcelain stoneware - Durchgefärbtes feinsteinzeug - UGL

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE RESULTS
	ISO 10545/3	ASSORBIMENTO D'ACQUA - WATER ABSORPTION ABSORPTION D'EAU - WASSERAUFNAHME	≤ 0.5%	CONFORME CONFORMS
	ISO 10545/4	RESISTENZA ALLA FLESSIONE - BENDING STRENGTH RESISTANCE A LA FLEXION - BIEGESTÄRKE	R ≥ 35 N/mm <sup>2</sup>	CONFORME CONFORMS
	ISO 10545/8	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFF. BETWEEN 20°C - 100°C COEFF. DE DILATATION THERMIQUE LINEAIRE ENTRE 20°C ET 100°C WÄRMEAUSSDEHNUNG ZWISCHEN 20°C UND 100°C	< 9x10 <sup>-6</sup> C <sup>-1</sup>	8x10 <sup>-6</sup> C <sup>-1</sup>
	ISO 10545/9	RESISTENZA AGLI SBALZI TERMICI - RESISTANCE TO THERMAL SHOCK RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/11	RESISTENZA AL CAVILLO - CRAZING RESISTANCE RESISTANCE AU TRASSAILAGE - HAARRISSEFESTIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/14	RESISTENZA ALLE MACCHIE - STAIN RESISTANCE RESISTANCE AUX TACHES - FLECKENFESTIGKEIT	min. Classe 3	CONFORME CONFORMS
	ISO 10545/13	RESISTENZA ALLATTACCO CHIMICO - CHEMICAL RESISTANCE RESISTANCE À L'ATTAQUE CHIMIQUE - FÄHIG GEGEN SÄUREN UND LAUGEN	min. B	CONFORME CONFORMS
	ISO 10545/2	LUNGHEZZA E LARGHEZZA - LENGTH AND WIDTH LONGUEUR ET LARGEUR - LÄNGE UND BREITE	± 0.5%	CONFORME CONFORMS
	ISO 10545/2	SPESSORE - THICKNESS ÉPAISSEUR - STÄRKE	± 5%	CONFORME CONFORMS
	ISO 10545/2	ORTOGONALITÀ - WEDGING ORTHOGONALITÉ - RECHTWINKLICHKEIT	± 0.6%	CONFORME CONFORMS
	ISO 10545/2	PLANARITÀ - WARPAGE PLANÉITÉ - EBENFLÄCHIGKEIT	± 0.5%	CONFORME CONFORMS
	ISO 10545/12	RESISTENZA AL GELO - FROST RESISTANCE RESISTANCE AU GEL - FROSTBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/6	RESISTENZA ALLABRASIONE PROFONDA - DEEP ABRASION RESISTANCE RESISTENCE À L'ABRASION PROFONDE - TIEFENVERSCHLEISSBESTÄNDIGKEIT	< 175 mm <sup>3</sup>	125 mm <sup>3</sup>
	ANSI A 137.1-2012 BOT 3000 WET DCOF	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE - RESISTANCE AU GLISSEMENT BESTIMMUNG DER RÜTSCHENNENDE EIGENSCHAFT	≥ 0.42	Tile 1: 0.56 Tile 2: 0.55 Tile 3: 0.55
	DIN 51130 R	water, oil, grease, etc. create slippery conditions. If or applications with exposure to these conditions require extra caution in product selection.		100X100 CM, R10 OTHER SIZES: R9



**SOLUZIONI DI POSA**  
cm 30x60 - 12"x24"  
cm 50x100 - 20"x40"  
Per una corretta realizzazione si consiglia di posare i formati lunghezza 60 cm e 100 cm sfalsati a correre al massimo 20 cm o posa pari.

**INSTALLATION INFORMATION**  
cm 30x60 - 12"x24"  
cm 50x100 - 20"x40"  
For 60 cm (24") and 100 cm (40") long tiles, staggering should not exceed 20 cm (8").

**VERLEGEBEISPIELE**  
cm 30x60 - 12"x24"  
cm 50x100 - 20"x40"  
Für einen korrekten und einwandfreien Belag, die Formate mit 60 cm und 100 cm Länge sollten bei der Verlegung maximal 20 cm versetzt sein.

Noi consigliamo fortemente l'uso di un sistema di posa con distanziatori autolivellanti.

Wir empfehlen dringend die Verwendung von einem Befestigungssystem mit leveling system.

We strongly recommend using a tile edge leveling system during installation.

Il est vivement recommandé l'utilisation d'un système de pose avec des croisillons autonivelant.

## SHADE VARIATION



\*These test results may change from lot to lot

## IMBALLI PACKAGING

UNITÀ DI MISURA  
UNIT OF MEASURES



Model	Size	Unit	Pallets	KG	m <sup>2</sup>	Pallets	KG	m <sup>2</sup>
Centuries Rett	100x100 (40"x40")	M <sup>2</sup>	1	20,78	1,00	42	42,00	872,75
Centuries Rett	50x100 (20"x40")	M <sup>2</sup>	2	20,78	1,00	42	42,00	872,75
Centuries Rett	60x60 (24"x24")	M <sup>2</sup>	3	24,80	1,08	40	43,20	992,00
Centuries	30x60 (12"x24")	M <sup>2</sup>	6	25,50	1,11	40	44,40	1020,00
Centuries Rett	30x60 (12"x24")	M <sup>2</sup>	6	24,80	1,08	40	43,20	992,00
Centuries Rett	30x30 (12"x12")	M <sup>2</sup>	11	22,45	0,99	48	47,52	1077,60
Centuries Rett	7,5x30 (3"x12")	M <sup>2</sup>	17	9,03	0,38	84	31,92	758,52
Centuries Rett	7,5x15 (3"x6")	M <sup>2</sup>	50	13,00	0,57	76	43,32	988,00
Cent Mosaico 5x5 (2"x2")	30x30 (12"x12")	FOGLIO/SHEET	8	16,14	0,72	42	30,24	677,88
Centuries Hexagon	29,3x29,4 (11 <sup>1</sup> / <sub>2</sub> "x11 <sup>1</sup> / <sub>2</sub> ")	FOGLIO/SHEET	8	14,50	0,63	42	26,46	609,00
Centuries Basketweave	31,2x31,2 (12 <sup>1</sup> / <sub>4</sub> "x12 <sup>1</sup> / <sub>4</sub> ")	FOGLIO/SHEET	8	17,45	0,78	42	32,76	732,90
Centuries Freccia	33,3x37,5 (13 <sup>1</sup> / <sub>8</sub> "x14 <sup>3</sup> / <sub>4</sub> ")	FOGLIO/SHEET	8	14,50	0,60	42	25,20	609,00
Centuries Cassettone	39x39 (15 <sup>1</sup> / <sub>3</sub> "x15 <sup>1</sup> / <sub>3</sub> ")	FOGLIO/SHEET	8	16,14	0,72	42	30,24	677,88
Centuries Battiscopa	7x60 (2 <sup>3</sup> / <sub>4</sub> "x24")	PZ	15	14,00	-	40	-	560,00
Centuries Battiscopa Rett	7x60 (2 <sup>3</sup> / <sub>4</sub> "x24")	PZ	15	14,00	-	40	-	560,00
Centuries Battiscopa Rett	7x100 (2 <sup>3</sup> / <sub>4</sub> "x40")	PZ	7	10,08	-	40	-	403,20

ceramiche  
**campogalliano**

info@ceramichecampogalliano.it  
www.ceramichecampogalliano.it  
tel +39 0536 832393 - fax +39 0536 913591



Ceramics of Italy

a brand of **Verde 1999**  
ITALIAN CERAMICS

Verde 1999 srl - Via Ghiarola Nuova, 158  
41042 Fiorano Modenese, MO Italy  
tel +39 0536 832393 - fax +39 0536 913591  
www.verde1999.com - info@verde1999.com

made in Italy  
**100%**