


**PROVENZA**

**Q - S T O N E M I N I M A L**



minimalis**day**.and

**night.**

minimal  
is **love.**  
but not **hate.**



Day Opus Maxi lappato  
M94390P

Day 45x90 lappato  
94390P

Night mosaico 30x30  
I30399P






Day Mosaico 30x30  
I30390P



minimalit's **me.**  
and **you.**









minimal  
is **milk.** and **coffee.**





Night 45x90 lappato  
94399P



minimal  
is **rock.**  
and  
**classic.**

Night 45x90 naturale  
94399R

Night 45x90 strutturato  
94399SR





minimal  
is **work.** and **play.**



Day 45x90 naturale  
94390R


Night 45x90 strutturato  
94399SR





# OPUS

20



**5** formati differenti  
nella stessa scatola  
*different sizes  
blended in each box*




# OPUS

M A X I



Day 45x90 naturale  
94390R


Day opus maxi naturale  
M94390R



**9** formati differenti  
nella stessa scatola  
*different sizes  
blended in each box*

# OPUS

minimal



## ISTRUZIONI DI POSA DENTRO OGNI SCATOLA

LAYING INSTRUCTIONS IN EACH BOX

**FULL HD** DIGITAL PRINTING TECHNOLOGY

Grazie al sistema digitale Ink Jet ad alta definizione (360 dpi) è possibile realizzare una gamma di grafiche con infinite variazioni.


Thanks to the High definition Ink jet digital system (360 dpi) a wide range of graphics with innumerable variations can be obtained.

Grace au système ink jet haute définition (360 dpi) il est possible d'obtenir une gamme infinie de graphismes.

Dank dem Ink Jet Hochauflösungsdigitalsystem mit 360 dpi kann man eine unzählreiche Reihe grafischer Effekte realisieren.

Gracias al sistema digital Ink Jet a alta definición (360 dpi), es posible realizar una gama infinita de variaciones gráficas.

Благодаря цифровой струйной системе печати высокого разрешения (360 точек на дюйм) можно получать гамму графических изображений с неисчислимыми вариациями.



## IMBALLO SPECIALE SPECIAL PACKAGING



# isbody.and soul.

## COLORI *Colours/Couleurs/Farben/Colores/Цвета*



DAY Shade variation V3



NIGHT Shade variation V3

## FORMATI *Sizes/Formats/Formate/Tamaños/ΦΟΡΜΑΤΥ*



45x90 - \*18"x36"

### naturale

DAY 94390R  
NIGHT 94399R

### lappato

DAY 94390P  
NIGHT 94399P

### strutturato

DAY 94390SR  
NIGHT 94399SR



30x60 - \*12"x24"

### naturale

DAY 63390R  
NIGHT 63399R

### lappato


DAY 63390P  
NIGHT 63399P

### strutturato

DAY 63390SR  
NIGHT 63399SR

## DECORI

*Decors/Décor/Dekore/Decorados/Декоры*



MOSAICO 30x30 - \*12"x12"

### lappato


DAY I30390P  
NIGHT I30399P

# OPUS

**naturale**  
 DAY M63390R  
 NIGHT M63399R

**lappato**  
 DAY M63390P  
 NIGHT M63399P

**strutturato**  
 DAY M63390S  
 NIGHT M63399S



## FORMATI

Sizes/Formats/Formate/  
 Tamaños/ФОРМАТЫ


3 pz./pcs 30x60 - \*12"x24"  
 2 pz./pcs 20x60 - \*8"x24"  
 2 pz./pcs 20x30 - \*8"x12"  
 2 pz./pcs 10x60 - \*4"x24"  
 2 pz./pcs 10x30 - \*4"x12"

# OPUS M A X I

**naturale**  
 DAY M94390R  
 NIGHT M94399R

**lappato**  
 DAY M94390P  
 NIGHT M94399P

**strutturato**  
 DAY M94390S  
 NIGHT M94399S




## FORMATI

Sizes/Formats/Formate/  
 Tamaños/ФОРМАТЫ

1 pz./pcs 30x90 - \*12"x36"  
 1 pz./pcs 30x60 - \*12"x24"  
 1 pz./pcs 30x30 - \*12"x12"  
 1 pz./pcs 22,5x90 - \*9"x36"  
 1 pz./pcs 22,5x60 - \*9"x24"

1 pz./pcs 22,5x30 - \*9"x12"  
 1 pz./pcs 15x90 - \*6"x36"  
 1 pz./pcs 15x60 - \*6"x24"  
 1 pz./pcs 15x30 - \*6"x12"

## MODULO OPUS MAXI + 45x90



## POSA CONSIGLIATA

Laying pattern suggest

40% 45x90

60% OPUS MAXI

## PEZZI SPECIALI Trims/ Pieces Speciales/Formteile/Piezas Especiales/СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ



**GRADONE  
STEP**  
 30x60x4,5x3,5  
 \*12"x24"x2"x1"

**naturale**  
 DAY 63390RG  
 NIGHT 63399RG

**lappato**  
 DAY 63390PG  
 NIGHT 63399PG

**strutturato**  
 DAY 63390SG  
 NIGHT 63399SG



**ANGOLARE  
CORNERTILE**  
 30x30x4,5x3,5  
 \*12"x12"x2"x1"

**naturale RIGHT LEFT**  
 DAY 30390RD 30390RS  
 NIGHT 30399RD 30399RS

**lappato**  
 DAY 30390PD 30390PS  
 NIGHT 30399PD 30399PS

**strutturato**  
 DAY 30390SD 30390SS  
 NIGHT 30399SD 30399SS



**ELEMENTO A "L"  
L-SHAPED PIECE**  
 15x60x4,5  
 \*6"x24"x2"

**strutturato**  
 DAY 99390SR  
 NIGHT 99399SR



**BATTISCOPA  
SKIRTING**  
 8,5x60  
 \*3"x24"

**naturale**  
 DAY 88390R  
 NIGHT 88399R

**lappato**  
 DAY 88390P  
 NIGHT 88399P

**strutturato**  
 DAY 88390S  
 NIGHT 88399S



**BATT. x GRADONE  
TREAD SKIRTING**  
 8,5x60x60  
 \*3"x24"x24"

**RIGHT LEFT**

**naturale naturale**  
 DAY 85390RD DAY 85390RS  
 NIGHT 85399RD NIGHT 85399RS

**lappato lappato**  
 DAY 85390PD DAY 85390PS  
 NIGHT 85399PD NIGHT 85399PS

**strutturato strutturato**  
 DAY 85390SD DAY 85390SS  
 NIGHT 85399SD NIGHT 85399SS

# Q - S T O N E M I N I M A L



Dry - Pressed Ceramic Tiles ISO 13006 : 2012 Annex G - UNI EN 14411 : 2012 Annex G - Bla GL

CARATTERISTICHE TECNICHE Technical Features - Caracteristiques Techniques Technische Eigenschaften - Caracteristicas Tecnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Норма	VALORI Value - Valeur Vorgabe - Valor - Средние
--	---	---



**PLANARITÀ**  
Flatness - Planéité - Ebenflächigkeit - Planiyud - Плоскость

UNI EN ISO 10545/2	± 0,26% / ± 1,5mm
ASTM C485 Warpage	
Calibrated ± 0,75% (max ± 0,09 in)	-
Rectified ± 0,40% (max ± 0,05 in-size ≤ 60cm) (max ± 0,07 in-size > 60cm)	± 0,25% (max ± 0,05 in-size ≤ 60cm) (max ± 0,07 in-size > 60cm)



**ASSORBIMENTO D'ACQUA - Valore medio in %**  
Water absorption - Average value expressed in %  
Absorption d'eau - Valeur moyenne en %  
Wasseraufnahme - Durchschnittswert in %  
Absorción de agua - Valor medio en % - Поглощение воды

UNI EN ISO 10545/3 ≤ 0,5 %	Conforme
ASTM C373	Compliant



**RESISTENZA ALLA FLESSIONE**  
Modulus of rupture - Resistance to the flexion  
Biegefestigkeit - Resistencia a la flexion - Прочность на изгиб

UNI EN ISO 10545/4	≥ 50 N/mm <sup>2</sup>
--------------------	------------------------

**FORZA DI ROTTURA**  
Breaking strength - Résistance à la rupture  
Bruchlast - Resistencia a la rotura - Разрывное усилие

UNI EN ISO 10545/4 ASTM C648	≥ 2000 N 700 LBS
---------------------------------	---------------------



**RESISTENZA AL GELO**  
Frost resistance - Résistance au gel - Frostbeständigkeit  
Resistencia a las heladas - Морозостойкость

UNI EN ISO 10545/12	Conforme
ASTM C1026	Unaffected



**RESISTENZA CHIMICA ad alte e basse concentrazioni di acidi e basi**  
Chemical resistance to high and low acid and basic concentrations  
Résistance chimique aux hautes et basses concentrations d'acides et de bases  
Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen  
Resistencia química con concentraciones altas y bajas de ácidos y bases  
Химическая стойкость к высоким и низким концентрациям кислот и щелочей

UNI EN ISO 10545/13	GA - GLA - GHA
ASTM C-650	Unaffected



**RESISTENZA ALLE MACCHIE**  
Stain resistance - Résistance aux taches - Fleckenbeständigkeit  
Resistencia a las manchas - Стойкость к образованию пятен


UNI EN ISO 10545/14	5
CTI 81-7D	No Evident Variation



**COEFFICIENTE DI ATTRITO**  
Slip resistance - Coefficient de glissement - Rutschfestigkeit Barfußbereich  
Coeficiente de atrito medio - Коэффициент трения

	Naturale	Lappato	Strutturato
DIN 51130	R10	R10	R11
DWIN 51097	C (A+B+C)	B (A+B)	C (A+B+C)
ANSI A 137.1- 2012 DCOF (Section 9.6)	Dry ≥ 0,42 Wet ≥ 0,42	Dry ≥ 0,42 Wet ≥ 0,42	Dry ≥ 0,42 Wet ≥ 0,42
B.C.R.A.	≥ 0,40	≥ 0,40	≥ 0,40

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultiores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



## IMBALLI E PESI. PACKING AND WEIGHT. EMBALLAGES ET POIDS. VERPACKUNG UND GEWICHT. EMBALAJES Y PESOS. УПАКОВКА И ВЕС

ARTICOLO ITEM REFERENCE ARTIKEL ARTICULO АРТИКУЛА	FORMATO SIZE FORMAT FORMAT TAMAÑO ФОРМАТ cm.	SPESORE THICKNESS EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА mm.	PZ. XMQ. PIECES XSQM PCS XM2 STK. XQM PZS XMC. ШТ. X KB.M.	PZ. X SCAT. PIECES X BOX PCS / BTE STK. X KRT. PZS X CAJA ШТ. X KOP.	MQ. X SCAT. SQM X BOX M2 / BTE QM X KRT. MC. X CAJA KB.M. X KOP.	PESO X SCAT. WEIGHT X BOX POIDS / BTE(KG) GEWICHT X KRT(KG) PESO X CAJA(KG) BEC X KOP.	SCAT. X PAL. BOXES X PAL. BTE / PAL. KRT. X PAL. CAJAS X PAL. KOP. X PODD.	MQ. X PAL. SQM X PAL. M2 / PAL. QM X PAL. MC. X PAL. KB.M X PODD.	PESO X PAL. WEIGHT X PAL. POIDS / PAL.(KG) GEWICHT X PAL.(KG) PESO X PAL.(KG) BEC X PODD.
9439_R	45x90	10,5	2,47	3	1,215	28,13	30	36,45	843,90
9439_P	45x90	10,5	2,47	3	1,215	28,13	30	36,45	843,90
9439_SR	45x90	10,5	2,47	3	1,215	28,13	30	36,45	843,90
6339_R	30x60	10,5	5,56	6	1,080	25,50	40	43,20	1020
6339_P	30x60	10,5	5,56	6	1,080	25,50	40	43,20	1020
6339_SR	30x60	10,5	5,56	6	1,080	25,50	40	43,20	1020
OPUS M6339_R/P/S	-	10,5	-	11	1,080	21,50	24	25,92	516
OPUS MAXI M9439_R/P/S	-	10,5	-	9	1,215	28,70	18	21,87	516,70
MOSAICO I3039_P	30x30	10,5	11,11	5	0,45	10,30	66	29,70	679,80

**PROVENZA**  
a brand of EMILCERAMICA S.p.A.



# PROVENZA

a brand of EMILCERAMICA S.p.A.  
Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (MO) - Italia  
Tel +39 0536 927611 - Fax Italia +39 0536 927626 - Fax Export +39 0536 927627  
info@emilceramicagroup.it - [www.ceramicheprovenza.com](http://www.ceramicheprovenza.com)